



5108 BRONTE TRAIL

LUXURY VINYL TILE 18" x 36" L



FiberCore[™]

This LVT flooring uses a technologically advanced core comprised of virgin material that adds strength and flexibility to provide ultimate dimensional stability.

PearlTouch™ Protect

The product is treated with a pearl touch aluminum oxide finish suitable for high traffic areas. It is easy to maintain and guaranteed to last. This finish provides exceptional durability that eliminates premature wear, repels stains, stands up to everyday use and provides long life.








Experience nature's best at a value

Duplicating the timeless natural beauty of real hardwood flooring, this product collection features realistic wood visuals in a traditional textured embossed surface. Made available in a variety of modern designer colors and wide planks sure to accent any décor.









01 Inlet



et 02 Sandgate



03 Grange 04 Augustine



5108 BRONTE TRAIL



SPECIFICATIONS

Plank Size: $18" \text{ W} \times 36" \text{ L}$

Wear Layer: 22 mil

Edge Profile: 4 Edge Micro Bevel **Finish:** PearlTouch™ Protect

Thickness: 5mm

Core: FiberCore[™] with Virgin PVC

Installation: Loose Lay | Glue Down KPA-99 Adhesive

Certifications: FloorScore®

WARRANTIES

Lifetime Residential **15 Year** Commercial

CARTON CONFIGURATION

Pcs/Carton: 5 | 44.43 lbs/carton

Packaging: 22.50 sq.ft./carton | 48 cartons/pallet

EEATI IDES

FiberCore™ This LVT flooring uses a technologically advanced core comprised of virgin material that adds strength and flexibility to provide ultimate dimensional stability.


PearlTouch™ Protect The product is treated with a pearl touch aluminum oxide finish suitable for high traffic areas. It is easy to maintain and guaranteed to last. This finish provides exceptional durability that eliminates premature wear, repels stains, stands up to everyday use and provides long life.

FloorScore® Meets Indoor Air Quality Product Performance Standards for Building Interiors. CA Section 01350 and SCS EC10.3-2014.

CARE AND MAINTENANCE

Tough and durable flooring features no wax or polish easy care low maintenance for the life of the floor. Easy to clean with regular sweeping or vacuuming, and periodic cleaning with mild soap and water or an approved floor cleaner to ensure the flooring retains its original look throughout the life of the product.

PRODUCT CONSTRUCTION



insulates sound.

LUXURY VINYL PLANK





Micro-Beveled Edge

Micro-Beveled plank edges add definition between each flooring plank when installed creating a more structured dimensional appearance in the living space and installation problems with minor subfloor imperfections are minimized.



Color Variation

Indicates the variety of colors, shades, hues and characteristics of the product. Low color variation flooring will have minimal difference in shades or hues. Medium and High offers a wide range of colors tones, hues and variation from plank to plank.



Hydronic Radiant Floors

Our rigid FibreCore™ technology allows for this product to be installed over radiant heating with maximum resistance to expansion, contraction and warping.



Grip Flt

This LVT flooring offers a grip backing to help ensure the plank and tiles remain firmly in place, providing a loose lay or glue down install option.



Phthalate Free

Kraus offers products made from clean, raw materials, keeping your space free of harmful phthalates.



FloorScore®

Meets Indoor Air Quality Product Performance Standards for Building Interiors. CA Section 01350 and SCS EC10.3-2014.



Vinyl flooring is a beautiful reproduction of wood and therefore variations in color, tone and graining are to be expected. Please note that the display samples may not always be a true representation of the final product. For this reason, new and/or replacement flooring may not exactly match display samples and/or existing flooring. Product image colors may vary due to print processes and monitor display settings. Please see installation instructions for full details. See harrisflooring.com for latest specifications.





